

Shake well before use

DESCRIPTION

Ergro® Crop is a new Foliar Spray for Agricultural Crops developed with a high technology process, added with fulvic acids, and recognized plant nutrients, essential for use in vegetal nutrition. **Ergro® Crop** contains macro and micronutrients essential for a good plant nutrition. **Ergro® Crop** is recommended for all agricultural crops effective to stimulate and promote a harmonic plant growth.

MAIN BENEFITS USING Ergro® Crop

- * Excellent plant aerial development.
- * Promotes more vigorous plants.
- * Increases quality and crop yield.

IMPORTANT

In order to immediately confirm the benefits of **Ergro® Crop** follow your regular crop practices without **Ergro® Crop** on a small area of your field and leave it as a check plot. In another side of your field follow your regular crop practices and add **Ergro® Crop**. After 10-20 days compare your crops. You will be able to see the difference in your crop.


CAUTION

Ergro® Crop is non toxic when used as directed.
If mixed with pesticides, please follow the label directions of those products.

Do not store with food products. Do not reuse the container, destroy it. Do not leave within the reach of children.

GUARANTEE

Ergro® Crop components are guaranteed. However, as we do not have any control in its use we take no responsibility for the results obtained.



RECOMMENDATIONS AND DOSAGE

Foliar Application

Vegetables: Squash, Onion, Cauliflower, Watermelon, Melon, Potato, Tomato, Pepper, etc. Apply 6.0 fl oz per acre. Make 3 applications: at the beginning of the crop development, before flowering, and in main flowering.
 Fruit Trees: Coffee, Citric, Apple, Nut, Pear, Banana, Grape, etc. Apply 6.0 fl oz per acre. Make 2 to 3 applications. 1st at flowering beginning, and the rest with 25 to 30 days between applications.
 Annual Crops: Strawberry, Beans, Soy, etc. Apply 4.0-6.0 fl oz per acre. Apply at the beginning of the foliage development. Repeat after 15 days. Make 3-4 applications.
 Cereals: Wheat, Corn, Sorghum, Oat, etc. Apply 4.0-6.0 fl oz per acre. Make 3-4 applications every 20 days, the first at the beginning of the spring.
 It is recommended to be applied with solid foliar fertilizers, mainly with Ergro® Win and Ergro® K Excel.

APPLICATION

Ergro® Crop is specifically designed for foliar spray applications for crops, vegetables, lawns and ornamentals, fruit and nut trees. The optimal mixture for foliar applications is one (1) part of Ergro® Crop to one hundred (100) parts of water.

Ergro® Crop a product of:



Ergo Corporación, S.A de C.V.
 Maestros No. 50, Tlalnepanita,
 Edo. de Mexico.
 www.agroergo.com

Distributed exclusively in the United States by:



Ag Nutrition, LLC
 13670 Brooks School Road
 Noblesville, IN 46060
 U.S.A.
 Ph: (317) 288-4951
 www.ag-nutrition.com

GUARANTEED ANALYSIS

Total Nitrogen (N).....	2.00%
0.40% Ammoniacal Nitrogen	
1.60% Urea Nitrogen	
Available Phosphate (P ₂ O ₅).....	1.00%
Soluble Potash (K ₂ O).....	0.60%
Magnesium (Mg).....	0.93%
Sulfur (S).....	4.00%
Cobalt (Co).....	0.001%
Copper (Cu).....	1.00%
Iron (Fe).....	1.00%
Manganese (Mn).....	1.00%
Molybdenum (Mo).....	0.004%
Zinc (Zn).....	2.00%

Also contains non-plant food ingredients:

Fulvic Acid.....	3.00%
Cytokinins.....	0.044%
Amino Acids.....	0.37%

Derived from: Ammonium Nitrate, Urea, Ammonium Sulfate, Monoammonium Phosphate, Phosphoric Acid, Potassium Sulfate, Zinc Sulfate, Copper Sulfate, Ferrous Sulfate, Magnesium Sulfate, Manganese Sulfate, Sodium Molybdate, Sodium Tetraboratum (Borax), Cobalt Sulfate, Citric Acid.

Fulvic Acids may enhance soil micronutrients availability within the soil, and may enhance nutrient uptake.

Caution: The application of fertilizers containing molybdenum and boron may result in a forage crop containing levels of molybdenum and boron which are toxic to ruminant animals.

FOR ALL CROPS

